

Classification of the Soils

Russell County, Alabama

Soil name	Family or higher taxonomic class
Alaga-----	Thermic, coated Typic Quartzipsamments
Annemaine-----	Fine, mixed, semiactive, thermic Aquic Hapludults
Bladen-----	Fine, mixed, semiactive, thermic Typic Albaquults
Blanton-----	Loamy, siliceous, semiactive, thermic Grossarenic Paleudults
Conecuh-----	Fine, smectitic, thermic Vertic Hapludults
Congaree-----	Fine-loamy, mixed, active, nonacid, thermic Typic Udifluvents
Cowarts-----	Fine-loamy, kaolinitic, thermic Typic Kanhapludults
Dogue-----	Fine, mixed, semiactive, thermic Aquic Hapludults
Dothan-----	Fine-loamy, kaolinitic, thermic Plinthic Kandiudults
Fluvaquents-----	Fluvaquents
Fuquay-----	Loamy, kaolinitic, thermic Arenic Plinthic Kandiudults
Goldsboro-----	Fine-loamy, siliceous, subactive, thermic Aquic Paleudults
Gritney-----	Fine, mixed, semiactive, thermic Aquic Hapludults
Hannon-----	Fine, montmorillonitic, thermic Chromic Hapluderts
Iuka-----	Coarse-loamy, siliceous, active, acid, thermic Aquic Udifluvents
Kinston-----	Fine-loamy, siliceous, acid, thermic Typic Fluvaquents
Kolomoki-----	Clayey, kaolinitic, thermic Typic Hapludults
Luverne-----	Fine, mixed, semiactive, thermic Typic Hapludults
Lynchburg-----	Fine-loamy, siliceous, semiactive, thermic Aeric Paleaquults
Mantachie-----	Fine-loamy, siliceous, active, acid, thermic Aeric Endoaquepts
Marvyn-----	Fine-loamy, siliceous, thermic Typic Kanhapludults
Maxton-----	Fine-loamy over sandy or sandy-skeletal, siliceous, subactive, thermic Typic Hapludults
Mooreville-----	Fine-loamy, siliceous, active, thermic Fluvaquentic Dystrudepts
Ocilla-----	Loamy, siliceous, semiactive, thermic Aquic Arenic Paleudults
Orangeburg-----	Fine-loamy, kaolinitic, thermic Typic Kandiudults
Pacolet-----	Fine, kaolinitic, thermic Typic Kanhapludults
Red Bay-----	Fine-loamy, kaolinitic, thermic Rhodic Kandiudults
Riverview-----	Fine-loamy, mixed, active, thermic Fluventic Dystrudepts
Springhill-----	Fine-loamy, siliceous, thermic Typic Kanhapludults
Sumter-----	Fine-silty, carbonatic, thermic Rendollic Eutrochrepts
Toccoa-----	Coarse-loamy, mixed, nonacid, thermic Typic Udifluvents
Troup-----	Loamy, kaolinitic, thermic Grossarenic Kandiudults
Uchee-----	Loamy, siliceous, thermic Arenic Kanhapludults
Udorthents-----	Typic Udorthents
Una-----	Fine, mixed, acid, thermic Typic Epiaquepts
Urbo-----	Fine, mixed, active, acid, thermic Vertic Epiaquepts
Wahee-----	Fine, mixed, semiactive, thermic Aeric Endoaquults
Wickham-----	Fine-loamy, mixed, thermic Typic Hapludults